



With Xylem Pro Technology™



## EVITO® Fungicide with Xylem Pro Technology™ gets into the plant faster for rapid and reliable protection.

Effective disease control often can be the difference between profit and loss. An advanced strobilurin fungicide that interferes with respiration in plant-pathogenic fungi and inhibits spore germination and mycelial growth, EVITO® works quickly to control the most prevalent diseases in corn and soybeans, at application rates of just ounces per acre.

EVITO is the next generation, low-use fungicide with Xylem Pro Technology™. Xylem Pro Technology is an innovative technology that distributes the fungicide throughout the plant, moving to all areas of the leaves with water flow. Once applied to the surface, EVITO is rainfast in as little as 15 minutes, protecting you from unexpected environmental threats.

### PLANT HEALTH EFFECTS:

EVITO provides the plant health effects that you have grown to expect; those include increased efficiency of carbon assimilation, nitrogen fixation and water utilization, among others. Plants you treat with EVITO will have greater tolerances to adverse conditions and recover more quickly, giving you maximum yield potential.

### LOW-USE RATE TECHNOLOGY:

Because of its formulation and increased potency, EVITO is applied at a standard rate of 2 oz per acre. This means less handling, less bulk, and less throwaway.



Control



Evito



Control



2 oz Evito applied

PRODUCT	PLANT HEALTH	DISEASE SPECTRUM	MOBILITY (XYLEM)	ROOT UPTAKE	LOW-USE	RAINFAST SPEED
EVITO®	☆☆☆☆☆	☆☆☆☆☆	☆☆☆☆☆	☆☆☆☆☆	2 oz/A	☆☆☆☆☆
HEADLINE®	☆☆☆☆☆	☆☆☆☆☆	☆☆☆	☆☆☆	6 oz/A	☆☆☆☆
QUADRIS®	☆☆☆☆	☆☆☆☆☆	☆☆☆☆☆	☆☆☆☆☆	6 oz/A	☆☆☆☆



With Xylem Pro Technology™

## CORN

DISEASE CONTROL		RATE TO USE	APPLICATION TIMING
<b>Rust, common</b> ( <i>Puccinia sorghi</i> ) <b>Rust, southern</b> ( <i>Puccinia polyspora</i> ) <b>Anthraxnose leaf blight</b> ( <i>Colletotrichum graminicola</i> ) <b>Gray leaf spot</b> ( <i>Cercospora sorghi</i> )	<b>Northern corn leaf blight</b> ( <i>Setosphaeria turcica</i> ) <b>Northern corn leaf spot</b> ( <i>Cochliobolus carbonum</i> ) <b>Southern corn leaf blight</b> ( <i>Cochliobolus heterostrophus</i> ) <b>Eye spot</b> ( <i>Aureobasidium zeae</i> )	<b>2.0 to 5.7 fl oz/A</b> (0.063 to 0.18 lbs a.i./A)	Apply a maximum of two applications preventively, (with the final application no later than the R4 early dough stage).
SOILBORNE DISEASES CONTROL		RATE TO USE	APPLICATION TIMING
<b>Rhizoctonia root and stalk rot</b> ( <i>Rhizoctonia solani</i> )		<b>0.16-0.24 fl oz /1000 row feet</b>	For soilborne/seedling disease control, see directions and rates under GENERAL INFORMATION section on label.

## SOYBEANS

DISEASE CONTROL		RATE TO USE	APPLICATION TIMING
<b>Alternaria leaf spot</b> ( <i>Alternaria spp.</i> ) <b>Anthraxnose</b> ( <i>Colletotrichum truncatum</i> ) <b>Brown spot</b> ( <i>Septoria glycines</i> ) <b>Cercospora blight</b> ( <i>Cercospora kikuchii</i> )	<b>Frogeye leaf spot</b> ( <i>Cercospora sojina</i> ) <b>Pod and stem blight</b> ( <i>Diaporthe phaseolorum</i> ) <b>Rhizoctonia aerial blight</b> ( <i>Rhizoctonia solani</i> ) <b>Rust</b> ( <i>Phakopsora spp.</i> )	<b>2.0 to 5.7 fl oz/A</b> (0.063 to 0.18 lbs a.i./A)	Begin applications preventively and continue as needed on a 14 to 21 day interval. Apply a maximum of two applications per season no later than growth stage R5.  Soybean rust: EVITO may be used with a registered triazole fungicide to increase efficacy.
SOILBORNE DISEASES CONTROL		RATE TO USE	APPLICATION TIMING
<b>Rhizoctonia root and stalk rot</b> ( <i>Rhizoctonia solani</i> ) <b>Southern blight</b> ( <i>Sclerotium rolfsii</i> )		<b>0.16-0.24 fl oz /1000 row feet</b>	For soilborne/seedling disease control, see directions and rates under GENERAL INFORMATION section on label.

EVITO® has a potent active ingredient that allows for a much lower use rate to capture all the protection and Plant Health benefits found in other leading fungicides.

### FEATURES

- Highly concentrated formulation
- 4 lb a.i./gallon (EVITO) vs. 2 lb a.i./gallon (Headline® or Quadris®)
- EVITO Fungicide 2 oz/A vs. other strobilurins 6 oz/A
- More active molecule
- EVITO 2 oz/A= 0.0625 lb a.i. /A
- Headline® 6 oz/A= 0.10 lb a.i. /A

### BENEFITS

- Less volume to pour
- More acres per gallon

TO LEARN MORE ABOUT EVITO FUNGICIDE, VISIT [WWW.EVITO.COM](http://WWW.EVITO.COM) OR CALL 1-866-761-9397.



Arysta LifeScience

**Always read and follow label directions.** EVITO and the EVITO logo are registered trademarks of Arysta LifeScience North America, LLC. The "Xylem Pro Technology" slogan is a trademark of Arysta LifeScience North America, LLC. Arysta LifeScience and the Arysta LifeScience logo are registered trademarks of Arysta LifeScience Corporation. Headline is a registered trademark of BASF. Quadris is a registered trademark of a Syngenta Group Company. ©2011 Arysta LifeScience North America, LLC. EVT-112