



With Xylem Pro Technology™




EVITO® Fungicide with Xylem Pro Technology™ gets into the plant faster for rapid and reliable protection.

Effective disease control often can be the difference between profit and loss. An advanced strobilurin fungicide that interferes with respiration in plant-pathogenic fungi and inhibits spore germination and mycelial growth, EVITO® works quickly to control the most prevalent diseases in sweet corn, at application rates of just ounces per acre.

EVITO is the next generation, low-use fungicide with Xylem Pro Technology™. Xylem Pro Technology is an innovative technology that distributes the fungicide throughout the plant, moving to all areas of the leaves with water flow. Once applied to the surface, EVITO is rainfast in as quick as 15 minutes. Protecting you from unexpected environmental threats.

SEE HOW EVITO PERFORMS IN YOUR FIELDS. WITH YOUR HYBRIDS. UNDER YOUR CONDITIONS.

Sweet Corn, Jubilee Variety



- » 4 Weekly Applications
- » Ratings are 1 week after final spray
- » 20 GPA; XR 8002 spray tips
- » NIS surfactant applied to all treatments



With Xylem Pro Technology™

DISEASE CONTROL	RATE TO USE	APPLICATION TIMING
Rust, common (<i>Puccinia sorghi</i>) Rust, southern (<i>Puccinia polyspora</i>) Anthracnose leaf blight (<i>Colletotrichum graminicola</i>) Gray Leaf Spot (<i>Cercospora sorghi</i>) Northern corn leaf blight (<i>Setosphaeria turcica</i>) Northern corn leaf spot (<i>Cochliobolus carbonum</i>) Southern corn leaf blight (<i>Cochliobolus heterostrophus</i>) Eye Spot (<i>Aureobasidium zeae</i>)	FOR FIELD AND SEED CORN APPLY: 2.0 to 5.7 fl oz/A (0.063 to 0.18 lbs a.i./A) FOR SWEET CORN APPLY: 2.0 to 3.8 fl oz/A (0.063 to 0.12 lbs a.i./A)	Apply a maximum of two applications preventively, (with the final application no later than the R4 early dough stage). For optimum results, begin applications preventively and continue as needed on a 7 to 10-day interval on field and seed corn and a minimum 14-day interval on sweet corn. Use the higher rates and shorter interval when disease pressure is high. Resistance Management: Do not make more than two (2) sequential applications of EVITO before alternating to a labeled fungicide with a different mode of action for at least one (1) application.
SOILBORNE DISEASES CONTROL	RATE TO USE	APPLICATION TIMING
Rhizoctonia Root and stalk rot (<i>Rhizoctonia solani</i>)	0.16-0.24 fl oz /1000 row feet	For soilborne/seedling disease control, see directions and rates under GENERAL INFORMATION section on label.

EVITO® has a potent active ingredient that allows for a much lower use rate to capture all the protection and Plant Health benefits found in other leading fungicides:

FEATURES

- Highly concentrated formulation
- 4 lb ai/gallon (EVITO) vs. 2 lb ai/gallon (Headline® or Quadris®)
- 2 oz/A product vs. 6 oz/A product
- More active molecule
- EVITO 2oz/A= 0.0625 lb ai/A
- Headline 6oz/A= 0.10 lb ai/A

BENEFITS

- Less volume to pour
- More acres per gallon

PRODUCT	PLANT HEALTH	DISEASE SPECTRUM	MOBILITY (XYLEM)	ROOT UPTAKE	LOW-USE	RAINFEST SPEED
HEADLINE®	☆☆☆☆☆	☆☆☆☆☆	☆☆☆	☆☆☆	6 oz/A	☆☆☆☆☆
QUADRIS®	☆☆☆☆	☆☆☆☆☆	☆☆☆☆☆	☆☆☆☆☆	6 oz/A	☆☆☆☆☆
EVITO®	☆☆☆☆☆	☆☆☆☆☆	☆☆☆☆☆	☆☆☆☆☆	2 oz/A	☆☆☆☆☆

TO LEARN MORE ABOUT EVITO FUNGICIDE, VISIT WWW.EVITO.COM OR CALL 1-866-761-9397



Always read and follow label directions. EVITO and the EVITO logo are registered trademarks of Arysta LifeScience North America, LLC. The "Xylem Pro Technology" slogan is a trademark of Arysta LifeScience North America, LLC. Arysta LifeScience and the Arysta LifeScience logo are registered trademarks of Arysta LifeScience Corporation. Headline is a registered trademark of BASF Corporation. Quadris is a registered trademark of a Syngenta Group Company. ©2011 Arysta LifeScience North America, LLC. EVT-092